Form of Material Declaration

<Date of declaration>

| Date 1/2 | 9/24 |
|----------|------|
|----------|------|

<MD ID number>

| MD-ID-No | MD C&P 208000 29.01.2024 |
|--------------|--------------------------|
| IVID-ID-IVO. | MD_C&F_200000_29.01.2024 |

<Other information>

| Remark 1 | |
|----------|--|
| Remark 2 | |
| Remark 3 | |

<Supplier (respondent) information>

| Company name | Cassens & Plath GmbH |
|------------------|---------------------------------------|
| Division name | |
| Address | Am Lunedeich 131, D-27572 Bremerhaven |
| Contact person | Mathias Reichel |
| Telephone number | +49 471 4839990 |
| Fax number | +49 471 48399910 |
| E-mail address | sales@cassens-plath.de |
| SDoC ID-No. | SDoc_C&P_208000_29.01.2024 |

<Product information>

| Product name | Product number | Delivered unit | | Product information | |
|-------------------------------|----------------|----------------|-------|-------------------------------|--|
| Product name | | Amount | Unit | Product information | |
| Storage box for spare compass | 208000 | 1 | piece | Storage box for spare compass | |

<Material information>

This materials information shows the amount of hazardous materials contained in

Unit piece

(unit: piece, kg, m, m2, m3, etc.) of the product.

| Table | e Material name | | Threshold level | Present above threshold level If yes, material mass | | | If yes, information on where it is used |
|---|---|--|---------------------------|---|------|------|---|
| | | | | Yes/No | Mass | Unit | |
| | Asbestos | | 0.1%19 | No | | | |
| | Polychlorinated biphenyl | s (PCBs) | 50 mg/kg | No | | | |
| | | Chlorofluorocarbons (CFCs) | | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| Table A* | | Carbon tetrachloride | | No | | | |
| (materials listed in appendix 1 of the | Ozon depleting substance | 1,1,1-Trichloroethane | no threshold level | No | | | |
| Convention) | 0000000000 | Hydrochlorofluorocarbons | | No | | | |
| | | Hydrobromofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| as a | | Bromochloromethane | | No | | | |
| | Anti-fouling systems con as a biocide | Anti-fouling systems containing organotin compounds is a biocide | | No | | | |
| | Anti-fouling systems containing cybutryne | | 1,000 mg/kg ²⁰ | No | | | |
| Annex I** (materials listed in the EU SRR) | Perfluorooctane sulfonic acid (PFOS) | | 10 mg/kg*** | No | | | |
| | Cadmium and cadmium compounds Hexavalent chromium and hexavalent chromium compounds Lead and lead compounds | | 100 mg/kg | No | | | |
| | | | 1,000 mg/kg | No | | | |
| Table B* | | | 1,000 mg/kg | No | | | |
| naterials listed in appendix 2 of the Convention) | Mercury and mercury compounds | | 1,000 mg/kg | No | | | |
| | Polybrominated biphenyl (PBBs) | | 50 mg/kg | No | | | |
| | Polybrominated dephenyl ethers (PBDEs) | | 1,000 mg/kg | No | | | |
| | Polychloronaphthalenes (Cl >= 3) | | 50 mg/kg | No | | | |
| | Radioactive substances | | no threshold level | No | | | |
| | Certain shortchain chlorinated paraffins | | 1% | No | | | |
| Annex II** (materials listed in the EU SRR) | lin Brominated Flame Retardant (HBCDD) | | 100 mg/kg | No | | | |

Please refer to footnote 19 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.379(80).

Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No.1013/2006 and Directive 2009/16/ECEMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28.

Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material

When samples are directly taken from the hull, average values of cybutryne should not be present above 1,000 mg of cybutryne per kilogram of dry paint.